



**KRAEMER**

Spun in  
Nazareth,  
Pennsylvania

**EXPERIENCE**



**Experienced**

**YARN**

Tatamy Tweed Worsted

40% Cotton  
60% Acrylic

Finished Chest  
36 (40, 44, 48)"

5 (5, 6, 7) skeins Teal  
1 skein Purple



**GAUGE**

16 sts = 4" / 10 cm  
in stockinette st

US #8 (5mm)  
straight needles

US #8 (5mm) 24"  
circular needle

2 dp pointed  
needles U.S. 7  
(4.5 mm)

Or size needed to  
obtain gauge.

Plus cable needle  
& large eye  
sewing needle

# Amy's Sweater

*by Christiane Burkhard*



Knit this figure-flattering V-neck pullover with easy care Tatamy Tweed Worsted. The sweater has an easy rib pattern at the bottom with a traveling cable to accent the yoke shaping. Choose a flattering accent color for the sweater edging.



## BACK

CO 72 (80, 88, 96) sts in purple

Begin K2, P2 ribbing for 1 row

Change to teal and continue in K2, P2 ribbing until piece measures 8 ¼, (8 ¾, 9 ¼, 9 ¾)"

Continue in stockinette st until piece measures 13 (13 ½, 15, 15 ½)"

### Shape Armholes

BO 4 (4, 4, 5) sts at beginning of next 2 rows

BO 3 (3, 3, 3,) sts at beginning of following 2 rows

Dec 1 st each end of every RS row 3 (4, 4, 5,) times

There will remain 52 (58, 66, 70) sts.

Continue even until armhole measures 8 ½, (9 ½, 10, 10 ½)"

### Shape Shoulders

BO 7 (8, 10, 7 ) sts at beginning of next 2 rows

BO 6 (8, 9, 6 ) sts at beginning of the following 2 rows

BO 0 ( 0, 0, 6, ) sts at beginning of following 2 rows (If the number is 0 omit these rows)

Put remaining 26 (26, 28, 32) sts on a holder for the back neck

## FRONT

### Sts for front traveling cable

**CF4** : Slip next 2 sts onto cable needle and hold at front of work. K next 2 sts from left-hand needle, then K the 2 sts from the cable needle

**CB4**: Slip next 2 sts onto cable needle and hold in back of work. K next 2 sts from left-hand needle, then K the 2 sts from the cable needle

Work as for back until piece measures 8 ¼, (8 ¾, 9 ¼, 9 ¾)"

Begin with front traveling cable pattern (RS)

Size 36": row 1 – row 33

Size 40": row 1 – row 37

Size 44": row 1 - row 41

Size 48": row 1 - row 45

**At the same time** shape armholes as for back when piece measures (13 ½, 15, 15 ½)"

### Traveling cable pattern

Row 1 (RS) - CF4, K2 P2 16 (18, 20, 22) times, CB4

Row 2 (WS) - and all even rows purl the purls and knit the knits.

Row 3 – and all RS rows, K to 2 sts before ribbing, CF4, work in established ribbing to 2 sts before previous CB4, work CB4 then K to end

Repeat rows 2 & 3 until cable front & cable backs meet



### Shape V-neck

Next right side row – work to center of work, and put remaining sts on holder to work later.

Continue piece working in stockinette stitch (k one row, P one row)

Continue to shape armhole as for back if necessary, and **at the same time** dec 1 st at neck edge every RS row 11 (10, 11, 14) times.

Then dec 1 st at neck edge every 4 rows 2 (3, 3, 2) times.

There will remain 13 (16, 19, 19) sts.

Work even until armhole measures same as back to shoulder. Shape shoulders as for back. (keep in mind that you will not be binding off sts at each end of work, but only on the armhole side)

Rejoin yarn at neck edge of held sts and work as for first half, reversing neck and shoulder shaping.

### **SLEEVES**

With purple, CO 36 (40, 40, 44) sts

Begin K2, P2 ribbing for 1 row

Change to teal and continue in K2, P2 ribbing until piece measures 2 ½ "

Begin with traveling cable pattern rows 1-15 (1-17, 1-27, 1-19) and **at the same time** start to inc for shaping the sleeve:

Inc 1 st each end of needle every 4 rows 1 (7, 10, 10) times (if number is 0 omit these rows).

Then inc 1 st each end of row every 6 rows 12 (8, 7, 7) times.

### Traveling cable pattern

Row 1 (RS) - CF4, K2 P2, 7 (8, 8, 9) x, CB4

Row 2 (WS) - and all even rows purl the purls and knit the knits.

Row 3 - K2, CF4, P2, K2, 6 (7, 7, 8) x, CB4, K2

Row 5 - and all RS rows, K to 2 sts before ribbing, CF4, work in established ribbing to 2 sts before previous CB4, work CB4 then K to end

Repeat rows 4 & 5 until cables meet.

Work in stockinette and continue increasing until there are 62 (70, 74, 78) sts.

Work even if necessary until piece measures 16 (16 ¾, 17 ½, 18 ¼)"

### Shape Cap

BO 4 (4, 4, 4) sts. at beginning of next 2 rows

BO 3 (3, 3, 3) sts at beg of following 2 rows

Dec 1 st each end of needle every RS row 3 (4, 4, 5) times

Dec 1 st each end of needle every 4 rows 0 (0, 0, 3) times (if number is zero omit these rows).

Then dec 1 st. each end of row every RS row 10 (10, 11, 4) times.

Then bind off 2 sts at beg of next 0 (2, 2, 0) rows (if number is zero omit these rows).

Then BO 3 sts at beg of next 0 (0, 0, 4) rows (if number is zero omit these rows).

Then BO 4 sts at beg of next 2 (2, 2, 2) rows.

BO the remaining 14 (16, 18, 18) sts.

## NECK EDGING – APPLIED I-CORD NECKBAND

Sew shoulder seams.

With circular needle pick up and knit 29 (31, 33, 37) sts at left neck edge (starting at lower edge) 26 (26, 28, 32) sts for the back neck on the holder and 29 (31, 33, 37) for the right neck edge.

Then start the applied I-cord beginning at the lower right neck edge.

Cast on 4 sts on a dpn U.S 7 in purple and knit back those 4 sts.

Knit the first 3 sts from the dpn onto a second dpn. Slip the fourth unworked st from the first dpn onto the second dpn, and slip the first unworked neck st from the circular needle next to the unworked st on the second dpn.

Using the first (now empty) dpn, insert it through the back loops of the 2 unworked sts and knit them together.

Slide the 4 sts to the other end of the dpn and continue to work i-cord rounds, working the last of the 4 sts together with one stitch from the neck. Sew the ends of the i-cord together.

## ASSEMBLY

Sew sleeves into armholes. Sew sleeve and side seams

*We are committed to excellence in our products and strive to make these instructions as accurate and complete as possible. However, we cannot be responsible for the variance of individual knitters and crocheters, human error, or typographical mistakes. If you have any questions, please e-mail us at [info@kraemeryarns.com](mailto:info@kraemeryarns.com)*

## COMMONLY USED KNITTING ABBREVIATIONS

<b>beg</b>	begin	<b>LH</b>	left hand	<b>sl</b>	slip
<b>BO</b>	bind off	<b>M1</b>	make one (increase 1 stitch)	<b>ssk</b>	slip 1, slip1, knit 2 slipped stitches together
<b>CC</b>	contrasting color	<b>MC</b>	main color	<b>st st</b>	stockinette (stocking) stitch (1 row K, 1 row P)
<b>CN</b>	cable needle	<b>P</b>	purl	<b>st(s)</b>	stitch(es)
<b>CO</b>	cast on, cast off	<b>p2sso</b>	pass 2 slipped stitches over	<b>tbl</b>	through back of loop
<b>cont</b>	continue	<b>P2tog</b>	purl 2 stitches together (1 stitch decreased)	<b>tog</b>	together
<b>dec(s)</b>	decrease(s)/decreasing	<b>patt rep(s)</b>	pattern repeat(s)	<b>WS</b>	wrong side
<b>dpn</b>	double-pointed needles	<b>patt(s)</b>	pattern(s)	<b>wyib</b>	with yarn in back
<b>eor</b>	every other row	<b>PM</b>	place marker	<b>wyif</b>	with yarn in front
<b>g st</b>	garter stitch (K every row)	<b>psso</b>	pass slipped stitch over	<b>yo</b>	yarn over
<b>inc(s)</b>	increase(s)/increasing	<b>pwise</b>	purlwise	<b>yo</b>	yarn over needle
<b>K</b>	knit	<b>rem</b>	remain(ing)	<b>( )</b>	repeat instructions in parantheses number of times indicated
<b>K1, s1, psso</b>	knit one, slip one, pass slipped stitch over	<b>rep</b>	repeat	<b>*</b>	repeat instructions following asterisk as indicated or until end of row
<b>K2tog</b>	knit 2 together	<b>RH</b>	right hand	<b>[ ]</b>	instructions in square brackets refer to larger sizes
<b>K2tog tbl</b>	knit 2 together through back loop	<b>rnd(s)</b>	round(s)		
<b>knwise</b>	knitwise	<b>RS</b>	right side		